


Sentuh Smart Board



Tersedia dalam
Bahasa Indonesia

Interaktif Display Terbaik Untuk Kolaborasi Masa Depan

Tersedia dalam ukuran :

55

65

75

85

86

98

100

105

110

TKDN
Kemenperin



Official
Website



Sentuh Smart Board

Layar Interactive Display yang memudahkan untuk kolaborasi, brainstorm, dan penyampaian informasi secara **on-site** maupun **online video conference**.

Pengalaman meeting dan konferensi akan lebih kolaboratif, serta dilengkapi dengan **quick dashboard** untuk penyampaian dan pembahasan data realtime yang tersentral.



Digital Whiteboard


Dengan fitur Whiteboard membuat pengguna dapat menulis atau memberikan anotasi pada layar interaktif display secara real-time bahkan diatas gambar yang bergerak dengan bantuan interactive pen ataupun hanya dengan sentuhan jari tangan.

Wireless Screen Projection

Pengguna dapat memproyeksikan layar perangkat lain dengan operating system android, windows ataupun ios ke layar Sentuh Smart Board dengan menggunakan kabel (HDMI) ataupun tanpa menggunakan kabel (Cast).




Android Windows iOS



Real-time Dashboard

Dapat memberikan tampilan langsung dan terkini dari data informasi yang berkaitan dengan suatu proses atau sistem dari sebuah departemen sampai perusahaan atau instansi, sehingga data informasi tersebut dapat diperbarui secara instan dan cepat untuk memberikan pemahaman yang cepat mengenai status dan kinerja saat ini.




Dynamic Screen Recording

Sentuh Smart Board sudah dilengkapi dengan fitur Dynamic Screen Recording, dimana alat ini dapat merekam segala aktifitas layar secara real-time. Bukan hanya merekam aktifitas layar, tetapi juga interaksi antar pengguna dan audiens. Fungsi ini sangat berguna untuk membuat konten seperti : Pembelajaran & Pelatihan, Dokumentasi & Tutorial, Presentasi, juga Kolaborasi Brainstorming antar Tim.

Online Meeting Conference Room to Room with Wide Angle

Dengan Sentuh Smart Board, kita dapat melakukan meeting antar ruangan yang berbeda, bahkan kita dapat menghubungkan tim kantor dari berbagai daerah. Misalkan meeting dari ruangan kantor pusat ke ruangan kantor cabang.

Features with Online Video Conference Apps



Built in Camera & 8 Mic Array with AI Speaker Tracker

Tidak perlu kamera tambahan lagi, device ini sudah dilengkapi dengan kamera & mic bawaan yang dikembangkan dengan teknologi kecerdasan buatan **Speaker Tracker**, dimana kamera akan secara otomatis mengambil gambar orang yang sedang berbicara saat melakukan video conference.



Low Latency for a Smoother User Experience

Kami berusaha memberikan pengalaman pengguna yang lebih nyaman dengan menekan tingkat latensi yang rendah. Dengan begitu, sentuhan layar menjadi lebih responsif dan intuitif bagi pengguna.

Latency <8ms



Easy File Sharing

Cukup memindai QR-Code pada layar Smart Board, kita dapat melakukan berbagi file dengan perangkat lain



Available Dual OS

Sentuh Smart Board tersedia dalam dua operating system, Windows dan Android.

SENTUH SMART BOARD

DISPLAY

Panel Size	55	65	75
Backlight	LED	LED	LED
Screen Resolution	3840 X 2160 (4K)	3840 X 2160 (4K)	3840 X 2160 (4K)
Display Ratio	16 : 9	16 : 9	16 : 9
Brightness	400 cd/m ²	400 cd/m ²	400 cd/m ²
Screen Type	Anti-Glare	Anti-Glare	Anti-Glare
	Anti-Blue Light	Anti-Blue Light	Anti-Blue Light
Backlight Lifetime	50.000 Hours	50.000 Hours	50.000 Hours
Screen Orientation	Landscape	Landscape	Landscape
Visual Angle	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)
Environment	Indoor	Indoor	Indoor

TOUCHSCREEN

Type	Infrared	Infrared	Infrared
Touchpoints	20 Points	20 Points	20 Points

AUDIO

Speaker	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)
Microphone	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound

MAINBOARD SYSTEM

Operating System	Android	Android	Android
CPU	8 Cores	8 Cores	8 Cores
RAM	4/6/8 GB	4/6/8 GB	4/6/8 GB
Storage	32/64/128 GB	32/64/128 GB	32/64/128 GB
Network	LAN	LAN	LAN
	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz
Bluetooth	Yes	Yes	Yes

OPS

OPS Slot	Available	Available	Available
----------	-----------	-----------	-----------

CAMERA

Camera Type	Built-in Full HD 1080p	Built-in Full HD 1080p	Built-in Full HD 1080p
Camera Spesification	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking
Auto Track Camera	Yes	Yes	Yes
Auto Speaker Framing	Yes	Yes	Yes

SOFTWARE

Application System	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)
--------------------	---	---	---

CONNECTIVITY PORTS

Front	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input
Back	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, LAN, RS232, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, RS232, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot

POWER

Power Consumption (Max)	430 W	480 W	530 W
Power Requirement	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz

ACCESSORIES

Accessories	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket
-------------	--	--	--

SENTUH SMART BOARD

DISPLAY

Panel Size	85	86	98
Backlight	LED	LED	LED
Screen Resolution	3840 X 2160 (4K)	3840 X 2160 (4K)	3840 X 2160 (4K)
Display Ratio	16 : 9	16 : 9	16 : 9
Brightness	400 cd/m ²	400 cd/m ²	400 cd/m ²
Screen Type	Anti-Glare	Anti-Glare	Anti-Glare
	Anti-Blue Light	Anti-Blue Light	Anti-Blue Light
Backlight Lifetime	50.000 Hours	50.000 Hours	50.000 Hours
Screen Orientation	Landscape	Landscape	Landscape
Visual Angle	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)
Environment	Indoor	Indoor	Indoor

TOUCHSCREEN

Type	Infrared	Infrared	Infrared
Touchpoints	20 Points	20 Points	20 Points

AUDIO

Speaker	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)
Microphone	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound

MAINBOARD SYSTEM

Operating System	Android	Android	Android
CPU	8 Cores	8 Cores	8 Cores
RAM	4/6/8 GB	4/6/8 GB	4/6/8 GB
Storage	32/64/128 GB	32/64/128 GB	32/64/128 GB
Network	LAN	LAN	LAN
	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz	Wi-Fi, Dual Band 2.4 GHz & 5.0 GHz
Bluetooth	Yes	Yes	Yes

OPS

OPS Slot	Available	Available	Available
----------	-----------	-----------	-----------

CAMERA

Camera Type	Built-in Full HD 1080p	Built-in Full HD 1080p	Built-in Full HD 1080p
Camera Spesification	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking
Auto Track Camera	Yes	Yes	Yes
Auto Speaker Framing	Yes	Yes	Yes

SOFTWARE

Application System	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)
--------------------	--	--	--

CONNECTIVITY PORTS

Front	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input
Back	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot

POWER

Power Consumption (Max)	580 W	580 W	630 W
Power Requirement	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz

ACCESSORIES

Accessories	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket
-------------	--	--	--

SENTUH SMART BOARD

DISPLAY

Panel Size	100	105	110
Backlight	LED	LED	LED
Screen Resolution	3840 X 2160 (4K)	3840 X 2160 (4K)	3840 X 2160 (4K)
Display Ratio	16 : 9	16 : 9	16 : 9
Brightness	400 cd/m ²	400 cd/m ²	400 cd/m ²
Screen Type	Anti-Glare	Anti-Glare	Anti-Glare
	Anti-Blue Light	Anti-Blue Light	Anti-Blue Light
Backlight Lifetime	50.000 Hours	50.000 Hours	50.000 Hours
Screen Orientation	Landscape	Landscape	Landscape
Visual Angle	178° (H) / 178° (V)	178° (H) / 178° (V)	178° (H) / 178° (V)
Environment	Indoor	Indoor	Indoor

TOUCHSCREEN

Type	Infrared	Infrared	Infrared
Touchpoints	20 Points	20 Points	20 Points

AUDIO

Speaker	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)	2.1 Stereo Speaker (Built-in Subwoofer)
Microphone	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound	Mic Array, Auto Gain Control, Noise Suppression, Echo Cancellation, Up to 8m Mic Pick up Sound

MAINBOARD SYSTEM

Operating System	Android	Android	Android
CPU	8 Cores	8 Cores	8 Cores
RAM	4/6/8 GB	4/6/8 GB	4/6/8 GB
Storage	32/64/128 GB	32/64/128 GB	32/64/128 GB
Network	LAN	LAN	LAN
	Wi-Fi, Dual Band 24 GHz & 5.0 GHz	Wi-Fi, Dual Band 24 GHz & 5.0 GHz	Wi-Fi, Dual Band 24 GHz & 5.0 GHz
Bluetooth	Yes	Yes	Yes

OPS

OPS Slot	Available	Available	Available
----------	-----------	-----------	-----------

CAMERA

Camera Type	Built-in Full HD 1080p	Built-in Full HD 1080p	Built-in Full HD 1080p
Camera Spesification	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking	12 Megapixel 1080@60fps with AI Tracking
Auto Track Camera	Yes	Yes	Yes
Auto Speaker Framing	Yes	Yes	Yes

SOFTWARE

Application System	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)	Sentuh Presentation Board (Senpres V.2)
--------------------	--	--	--

CONNECTIVITY PORTS

Front	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input	LAN, USB Touch, 4 USB Data, HDMI Input
Back	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot	USB Touch, AV-In, AV-Out, Aux, 2 HDMI, Coaxial, USB 2.0, USB 3.0, AC Power, OPS Slot

POWER

Power Consumption (Max)	640 W	660 W	680 W
Power Requirement	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz	AC 100V - 240V 50/60 Hz

ACCESSORIES

Accessories	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket	AC Power Cable, HDMI Cable, USB Touch Cable, Passive Touchpen, Remote, Bracket
-------------	--	--	--



SENTUH



Sentuh Smart Board



Digital
Whiteboard




Real-Time
Dashboard



Meeting
Collaboration



Easy File
Sharing



Meeting
Recording



User
Friendly



**Interaktif Display Terbaik
Untuk Kolaborasi Masa Depan**



Tersedia dalam
Bahasa Indonesia



Cyber Building I, 6th Floor
Jl. Kuningan Barat Raya No. 8
Jakarta Selatan - 12710
Indonesia

Contact

(P) 021 520 9845

(F) 021 520 9850

(E) marketing@sentuh.id

(W) www.sentuh.id

TKDN
Kemenperin



Official
Website

